



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

[Inclosure No. 4.]

Smallpox statistics—City of Osaka, Japan.

[Osaka 20 miles distance from Hiogo (Kobe). Population, about 500,000.]

Week ended.	Cases.	Deaths.	Week ended.	Cases.	Deaths.
1896.			November 22.....	4
May 17.....	5	1	November 29.....	6	1
May 24.....	3	2	December 6.....	34	1
May 31.....	14	2	December 13.....	14	4
June 7.....	2	December 20.....	36	4
June 14.....	4	3	December 27.....	36	7
June 21.....	10	4	1897.		
June 28.....	3	January 3.....	36	9
July 5.....	3	January 10.....	53	11
July 12.....	2	January 17.....	149	20
July 19.....	1	January 24.....	113	29
July 26.....	February 7.....	146	64
August 2.....	February 14.....	255	79
August 9.....	February 21.....	195	70
August 16.....	February 28.....	127	31
August 23.....	1	March 7.....	159	45
August 30.....	March 14.....	152	55
September 6.....	March 21.....	66	34
September 13.....	March 28.....	79	27
September 20.....	April 4.....	79	33
September 27.....	April 11.....	79	32
October 4.....	April 18.....	91	35
October 11.....	2	April 25.....	49	37
October 18.....	1	May 2.....	37	13
October 25.....	1	May 9.....	22	9
November 1.....	2	May 16.....	13	11
November 8.....	May 23.....	14	6
November 15.....	7	May 30.....	5	3

MOROCCO.

Quarantine regulations of the sanitary council of Morocco.

TANGIER, June 16, 1897.

SIR: I have the honor to transmit herewith the quarantine regulations for this and other ports of Morocco with translation of the same. These regulations were adopted by the sanitary council of Tangier on the 15th instant under the presidency of Hon. E. de Ojeda, the Spanish minister.

I am, sir, your obedient servant,

D. N. BURKE,
United States Consul-General.

Hon. ASSISTANT SECRETARY OF STATE.

[Inclosure.]

THE MOROCCO SANITARY COUNCIL NOTICE.

TANGIER, June 15, 1897.

The pilgrimage to Mecca having been prohibited by His Majesty the Sultan, and the Morocco sanitary council not having the necessary means to execute the measures adopted by the Conference of Venice against the danger resulting from the return to Morocco of Moorish subjects who have contravened the Sultan's orders, the sanitary council has decided to notify the shipping companies and their agents of the following resolutions:

I. Vessels having on board Moorish passengers who will not be able to prove by certificate from competent authority and to the satisfaction of the sanitary council that they have sojourned for two months in a noninfected country, or have been submitted to quarantine, as well as to disinfection of their person and baggage in an European port or lazaretto, shall not be allowed admittance in the Morocco ports.

II. Moorish passengers having fulfilled the above conditions will only be allowed to

enter Morocco by the port of Tangier, and after their baggage has been disinfected by the most effective measures provided by the council.

E. DE OJEDA,
President.

STATISTICAL REPORTS.

ARGENTINA—*Buenos Ayres*.—Month of April, 1897. Estimated population, 722,067. Total deaths, 992, including diphtheria, 12; enteric fever, 33; scarlet fever, 1, and smallpox, 1.

AUSTRALIA—*New South Wales—Sydney*.—Month of April, 1897. Estimated population, 410,000. Total deaths, 446, including diphtheria, 4; enteric fever, 7, and phthisis pulmonalis, 21.

QUEENSLAND—*Brisbane*.—Month of May, 1897. Estimated population, 100,913. Total deaths, 83, including enteric fever, 2, and phthisis pulmonalis, 10.

BAHAMAS—*Dunmore Town*.—Two weeks ended July 2, 1897. Population, 1,472. One death.

Governors Harbor.—Two weeks ended July 3, 1897. Population, 1,500. One death.

Green Turtle Cay—Abaco.—Two weeks ended July 1, 1897. Estimated population, 3,900. No deaths.

CANADA—ONTARIO—*Hamilton*.—Month of June, 1897. Estimated population, 50,000. Total deaths, 51.

CUBA—*Manzanillo*.—Two weeks ended June 15, 1897. Estimated population, 15,000. Total deaths, 84, including enteric fever, 7; typhus fever, 9, and yellow fever, 1.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns in England and Wales during the week ended June 26 correspond to an annual rate of 15.7 a thousand of the aggregate population, which is estimated at 10,992,524. The highest rate was recorded in Salford, viz, 22.3, and the lowest in Brighton, viz, 9.9 a thousand.

London.—One thousand two hundred and forty-six deaths were registered during the week, including measles, 34; scarlet fever, 14; diphtheria, 24; whooping cough, 31; enteric fever, 8, and diarrhea and dysentery, 25. The deaths from all causes correspond to an annual rate of 14.6 a thousand. In greater London, 1,655 deaths were registered, corresponding to an annual rate of 13.7 a thousand of the population. In the "outer ring" the deaths included 8 from diphtheria, 11 from measles, 6 from scarlet fever, and 4 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended June 26 in the 23 principal town districts of Ireland was 19.4 a thousand of the population. The lowest rate was recorded in Waterford, viz, 4.0, and the highest in Newtownards, viz, 45.4 a thousand. In Dublin and suburbs 146 deaths were registered, including scarlet fever, 1; whooping cough, 1; diphtheria, 5, and measles, 2.

Scotland.—The deaths registered in 8 principal towns during the week